

Asbestos Sampling Instructions

Sampling Instruction No. 07 Revision Date: 03/31/14 Page 1 of 2

- 1. The sampler will receive a sample kit from our lab.
- 2. WHEN SAMPLING, BRING ICE IN SEALED BAGS TO CHILL SAMPLES DURING SAMPLE COLLECTION.
- 3. Put on nitrile gloves. If sampling from faucet, remove the aerator and screen.
- 4. Open the tap and let the water of the sample source run at fast flow for approximately 5 minutes.
- 5. The sample kit will include plastic autoclaved 1000 mL bottles.

<u>IF USING BOTTLES NOT PROVIDED BY EEA</u>: Use 1000 mL plastic autoclaved bottles. After normal washing, sonicate bottle for 10 minutes, and then rinse them 3 times with distilled water.

- 6. Use indelible ink (i.e. Sharpie pens) to clearly identify the sample bottles with the information listed below (if not already on the label).
 - Client Name Analysis required Preservative used
 - Sample ID Date and Time of collection
- 7. Slow water flow to thickness of a pencil (to minimize splashing) and fill bottle.
- 8. Fill sample bottle, <u>leaving one inch of headspace</u>. Make sure the mouth of the bottle does not come in contact with anything other than the sample water.
- 9. Screw sonicated cap on firmly.
- 10. Store at ≤6°C but above the freezing point of water until transported to the lab.

SAMPLE SHIPPING AND STORAGE

- If shipping samples on the same day of sampling, chill samples until ≤6°C by exchanging the wet ice used during sampling with <u>FRESH</u> wet ice.
- 2. <u>Pack chilled samples</u> in a cooler and add enough <u>FRESH</u> wet ice to take up 30-50% of the cooler (e.g. most of the remaining space) inside two large plastic bags as recommended in our "*Wet Ice Packing Instructions*."
- Complete the Chain of Custody during sample collection. Place Kit Order and completed Chain of Custody in a Ziploc style bag in the cooler on top of packing material. The following information is required on the completed Chain of Custody.

- Collector's name - Sample site - Comments about the sample (if applicable)

- Client Name -Date and time of collection -Sample type

- 4. Ship via overnight service such as FEDEX, UPS, or DHL, etc. Maintain an environment at ≤6°C but above the freezing point of water during transit. It is recommended that samples arrive within 48 hours of sampling, with no more than 40 hours for transit.
- If samples are received on the same day as collection, temperature may be >10°C with evidence of cooling.



Asbestos Sampling Instructions

Sampling Instruction No. 07 Revision Date: 03/31/14 Page 2 of 2

- 6. Maximum HOLDING TIME FOR SAMPLES is 48 hrs. from time of collection.
- 7. Alternatively, cool the samples down by placing them <u>overnight</u> in a cooler with wet ice, or in a refrigerator (store chilled for at least 12 hours before packing for shipment). Maintain the cold samples until repacked in the cooler for shipment to the lab.

ADDITIONAL NOTES

- If shipping to the laboratory with <u>frozen gel packs</u> rather than wet ice, please be sure that the gel packs have <u>been</u> <u>frozen for at least 48 hours</u> prior to the shipment time.