

Current ICR Chemistry Laboratory Approval Record for ICRCA013

Analyte Group or Parameter	Method		Effective Approval Date
Alkalinity	SM2320 B	Approved	12/20/96
Ammonia	EPA350.1	Approved	3/10/97
Ammonia	SM4500-NH3 G	Approved	12/20/96
Bromide	EPA300.0	Approved	12/20/96
Calcium Hardness	EPA200.7	Approved	12/20/96
Chloral Hydrate	EPA551.1	Approved	12/20/96
Free Chlorine	SM4500-Cl B	Approved	7/1/97
Free Chlorine	SM4500-Cl G	Approved	12/20/96
Haloacetic Acids	SM6251 B	Approved	12/20/96
Haloacetonitriles, Haloketones, Chloropicrin	EPA551.1	Approved	12/20/96
Oxyhalides	EPA300.0	Approved	12/20/96
pH	EPA150.1	Approved	12/20/96
pH	SM4500 H+	Approved	12/20/96
Temperature	SM2550 B	Approved	3/11/97
Total Chlorine	SM4500-Cl G	Approved	12/20/96
Total Hardness	SM2340 B	Approved	12/20/96
Total Organic Carbon	SM5310 C	Approved	8/14/96
Total Organic Halides	SM5320 B	Approved	12/20/96
Trihalomethanes	EPA502.2	Approved	12/20/96
Trihalomethanes	EPA524.2	Approved	12/20/96
Trihalomethanes	EPA551.1	Approved	12/20/96
Turbidity	EPA180.1	Approved	6/30/97
Turbidity	SM2130 B	Approved	12/20/96
UV Absorbance	SM5910	Approved	12/20/96

END OF ICR CHEMISTRY LABORATORY APPROVAL RECORDS FOR ICRCA013